

Modular Extraction

Size: XS to XXL

Airflow 100 – 150000 m³/h






Modular Perfection in over 300000 Options.

5



Fan 3 kW - 22 kW



Variable Frequency Drive




High Vac Fans



HEPA H14/H13



V Shape Filter



Internal Cyclone



Filter 450 mm



Activated Carbon Filter

3



Filter 600 mm



Filter 1200 mm



Hose/Bag Filters



External Cyclone

1



Legs




Wheels



Wall Mount



Fork Lift





Top Exhaust



Top Flange Exhaust




Post Filter Exhaust



Side Exhaust

6



Full Auto Cleaning



Manual Rotary Cleaning



Full Auto Cleaning
Bag/Hose Filter



Manual Cleaning

4



30 Ltr. with wheels



Direct Discharge



Rotary Valve



30 Ltr. with legs



Machine Mounted



Jumbo Bag/Drum Discharge

2

Filter Types



Cartridge



Hose Filter



Water Separation



Fleece




HEPA



Cyclone

Airflow 100 – 150000 m³/h



Types of Dust/Fume



Fume



Fine Dust



Granules



Heavy Dust



Wet Dust



Mist

Advantages

- + Energy Efficient Systems
- + Low Operating Cost
- + Small Foot Print
- + Minimal Service
- + Plug & Play
- + ULMATEC NAF 360 ° Support
- + German Design Made in India

Options



Atex



W3



Frequency Control



Filter Clogging Alarm



Fire Protection



Private Label

Applications



Welding




Grinding




Laser Cutting



Buffing



Food/Pharma Dust



... and many more



ULMATEC
FILTRATION